QuBe

A product by
Rancilio Group

QuBe

QUALITY AND BEST PERFORMANCE




EGRO

ENGLISH



QUALITY AND BEST PERFORMANCE


QuBe is a fully automatic coffee machine that is ideal for the Hospitality and Office Coffee Service (OCS) sectors and for all premises, offices, and coffee corners with low daily consumption that require a varied coffee menu. Easy to use and maintain, reliable, convenient and compact, thanks to the built-in hoppers for coffee beans and powders, QuBe is the solution for quickly preparing drinks with coffee, fresh milk and soluble products.



QuBe PURE COFFEE

x80


CUPS PER DAY



QuBe QUICK MILK

x100

CUPS PER DAY



QuBe PRO MILK

x120

CUPS PER DAY

HIGHLIGHTS



QuBe Pro Milk 2G+1S

1 COFFEE AND SOLUBLE PRODUCTS

Built-in hoppers
1 or 2 built-in hoppers for coffee beans and up to 2 built-in powder hoppers for soluble products.

2 MILK

Fresh milk-based drinks
With the milk systems and external fridges, you can enhance your cafeteria menu and automatically prepare a wide range of fresh milk-based drinks.

3 INTERFACE

7" Touchscreen
Select your beverage with a simple touch and navigate through the menus to customise your recipes.

4 DESIGN

Compact, quiet and convenient
QuBe is the solution for establishments that need a convenient coffee machine that doesn't require much space, and that is quiet during operation.

5 CLEANING AND MAINTENANCE

Easy to use and to maintain
Just tap to make a coffee, another tap to open the front panel to reach the internal components, and a few minutes to complete a cleaning cycle.

6 CONFIGURATIONS

Designed to satisfy every need
3 versions with 8 different configurations and MDB protocol for external payment systems.

COFFEE, WATER, AND SOLUBLE PRODUCTS

ADJUSTABLE BREWING CHAMBER

Adjust the capacity of the brewing chamber (9-16 g) to prepare every type of drink with the right quantity of ground coffee.

ø44 mm
CONICAL STEEL BURRS

0.6 l
COFFEE BOILER

9-16 g
BREWING CHAMBER

HOT WATER

Hot water for tea and infusion preparation is dispensed from the water wand located on the right side of the machine. Quantities of water can be regulated on the touchscreen.

BUILT-IN HOPPERS*

QuBe can be configured with 1 or 2 built-in hoppers for coffee beans and 1 or 2 built-in hoppers for powders, available with different capacities.

0.6 kg / 1.3 lb
COFFEE BEAN HOPPER

1.5 l
LARGE POWDER HOPPER

0.7 l
SMALL POWDER HOPPER



* The number and capacities of the hoppers available varies depending on the desired configuration.

MILK

MILK SYSTEMS

QuBe offers two different systems for the automatic preparation of fresh milk drinks: Quick Milk and Pro Milk. Discover the solution that best suits your needs.



QuBe Pro Milk 2G+1S

PRO MILK

Gear pump positioned inside the main unit
Pro Milk is the right choice for establishments that want to offer their customers a vast assortment of drinks made with hot or cold milk and hot milk foam. Pro Milk allows to adjust the temperature of the milk, the frothing level, and the foam consistency for each drink. It is recommended for establishments that produce up to 120 cups per day.

QUICK MILK

Venturi System
Quick Milk is the right choice for establishments that do not have to manage a heavy workflow (up to 100 cups per day) and want to offer their customers a menu with the great coffee classics, such as cappuccino and latte macchiato. Quick Milk is an intuitive milk system that is easy to use and maintain.

MK4 FRIDGE

Perfectly designed for spaces with minimal counter area and a preference for fresh milk beverages, the MK4 compact 4.5-L fridge is a convenient solution with a single detachable milk container. This fridge is easily installable, and allows you to customize temperature settings effortlessly with the practical mini display on the front.



INTERFACE

7" TOUCHSCREEN

The touchscreen interface is simple and intuitive.
You can personalise the drinks in the menu, set the machine parameters, and access different pages to check warnings, alarms, and counters.

27 PROGRAMMABLE DRINKS

Personalize all drink recipes by choosing the ingredients and regulating the doses and capacity of the brewing chamber.

2 ACCESS LEVELS

It is possible to limit the access to some functions of the menu by setting up two different passwords for the operations of the Manager and the Technician.

x12

MENU IN 12 LANGUAGES
(ENGLISH, GERMAN, ITALIAN, FRENCH, SPANISH, PORTUGUESE, SIMPLIFIED CHINESE, TRADITIONAL CHINESE, KOREAN, JAPANESE, THAI AND RUSSIAN)



AUTO ON-OFF

On the technical menu, set the times for the machine to turn on and off automatically for each day of the week.

MDB PROTOCOL

QuBe can be connected to all external payment systems that are compatible with the MDB communication protocol.

ENERGY SAVINGS

By turning on the stand-by mode after a certain period of inactivity, you can set a lower boiler temperature to save energy when the machine is not in use.



DESIGN

SPACE-SAVING DESIGN

Its compact dimensions make QuBe perfectly suitable for all small and medium-sized locations.

DESIGNED TO NOT DISTURB

Optimized down to the last decibel, QuBe is a silent coffee machine, ideal for the office coffee corner.



CUP TRAY

The tippable cup tray allows you to work comfortably with both espresso and extra-large take-away cups.

WATER MAINS OR BUILT-IN TANK

During the installation phase, it is possible to connect QuBe to the water mains or to the built-in 4-litre water tank. With the Jolly function, it is possible to switch from the water mains to the tank and back again.

COLOUR

- BLACK

TOUCHSCREEN FRAME

The touchscreen frame is available in two colours:

- BLACK
- GREY



CLEANING AND MAINTENANCE



QuBe Pro Milk 2G

CLEANING

CLEANING CYCLES

The operator can start a complete cleaning cycle for all circuits (All in One) or single circuit cycles by following the instructions on the touchscreen display.

MANUAL CLEANING

The dispensing group, mixer, hoppers, milker, water tank, and coffee grounds container can all be removed from the main unit and dismantled for manual cleaning operations.

14mins

ALL IN ONE

MAINTENANCE

ROUTINE MAINTENANCE

Open the front panel to access the main internal components directly. You can remove them for ordinary maintenance without using tools.

BACKING UP DATA

The Menu pages allow you to access the Backup function to load or save a configuration of the machine on a Micro SD or a USB flash drive.

CAKE CRUSHER

The cake crusher reduces the volume of the used coffee grounds in the drawer to improve the capacity of the container and reduce the number of times that it has to be emptied.









75 doses

COFFEE GROUNDS CONTAINER CAPACITY



CONFIGURATIONS

QuBe is available in 3 versions (8 different configurations)

QuBe PURE COFFEE	QuBe QUICK MILK	QuBe PRO MILK
		
2 grinders + 2 powders (2G+2S)	1 grinder (1G)	1 grinder (1G)
		
	1 grinders + 2 powder (1G+2S)	
		
	2 grinders (2G)	2 grinders (2G)
		
	2 grinders + 1 powder (2G+1S)	2 grinders + 1 powder (2G+1S)

FEATURES

QuBe PURE COFFEE + QuBe QUICK MILK + QuBe PRO MILK

	PURE COFFEE (2G+2S)	QUICK MILK (1G)	QUICK MILK (1G+2S)	QUICK MILK (2G)	QUICK MILK (2G+1S)	PRO MILK (1G)	PRO MILK (2G)	PRO MILK (2G+1S)
INTERFACE								
7” Touchscreen	●	●	●	●	●	●	●	●
COFFEE								
Grinder	●	●	●	●	●	●	●	●
Second grinder	●	—	—	●	●	—	●	●
9-16g brewing chamber	●	●	●	●	●	●	●	●
Bypass single cup (for 1 cup of Americano)	●	●	●	●	●	●	●	●
HOT WATER								
Right side hot water outlet	●	●	●	●	●	●	●	●
SOLUBLE PRODUCTS								
Built-in powder hopper	●	—	●	—	●	—	—	●
Second built-in powder hopper	●	—	●	—	—	—	—	—
MILK SYSTEMS								
Quick Milk	—	●	●	●	●	—	—	—
Pro Milk	—	—	—	—	—	●	●	●
Fresh milk beverages	—	●	●	●	●	●	●	●
FRIDGES								
MK4 fridge	—	◐	◐	◐	◐	◐	◐	◐
EXTRA FEATURES								
Lock package	●	●	●	●	●	●	●	●
MDB Protocol	●	●	●	●	●	●	●	●
Connect (telemetry system)	◐	◐	◐	◐	◐	◐	◐	◐


Standard ● Optional ◐ Not Available —

G=coffee grinders S=powders (soluble products)



QUBE

QuBe: TECHNICAL DATA

MAIN UNIT DIMENSIONS



MK4 FRIDGE DIMENSIONS



MAIN UNIT

W x D x H
368 x 554 x 585 mm
14.5 x 21.8 x 23 in

WEIGHT PURE COFFEE
25 kg / 55.11 lb

WEIGHT QUICK MILK / PRO MILK
27 kg / 59.52 lb

COFFEE BOILER
0,6 l

THERMOBLOCK
Instant steam for heating milk (only with Quick Milk, Pro Milk)

COFFEE BEAN HOPPER
0,6 kg

POWDER HOPPERS
Small 0,7 l (2S)
Large 1,5 l (1S)

POWER SUPPLY
100-110V 50-60 Hz (1.4 kW)
220-240V 50-60 Hz (1.7 kW)

WATER SUPPLY
Water mains connection and built-in 4-litre water tank

NOISE LEVEL DURING USE
<70 db

MK4 FRIDGE

W x D x H
240 x 450 x 475 mm
9.4 x 17.7 x 18.7 in

WEIGHT
9 kg / 19.8 lb

POWER SUPPLY
220–240 V~, 50-60 Hz, 0.5 A

MILK CONTAINER CAPACITY
4.5 l / 1.19 gal US

COLOUR
● BLACK

RECOMMENDED DAILY OUTPUT*

QuBe PURE COFFEE
x80
CUPS PER DAY

QuBe QUICK MILK
x100
CUPS PER DAY

QuBe PRO MILK
x120
CUPS PER DAY

* For more information about the delivery capacity and energy consumption of Egro coffee machines, please visit: https://www.grosskuechen.cert.hki-online.de/en

EN 90 011 339 | 2023-06

EGRO

BUILT FOR EXCELLENCE

egrocoffee.com

an Ali Group company

GROUP

The Spirit of Excellence